Summary Timeline of Complaint Resolution

<u>General</u>

- March 2020 Initial complaints are made to both Farrah's and UHCC regarding noise.
- May 2020 Testing by UHCC shows that Farrah's are in breach of the District Plan.
- November 2021 Resource Consent Hearing.
- 1 April 2022 Resource Consent requires Farrah's to be fully compliant (not achieved).
- August 2022 UHCC deems that Farrah's have achieved full compliance for all noise sources. Until this time Farrah's have only been compliant for a total of 14 days since the initial complaints (due to a blanket exemption in late Jan 2022). Subsequent intermittent breaches of the District Plan continue to be proven but are not deemed by UHCC to warrant enforcement. 2 years and 5 months to resolve.

Heating, ventilation, and air conditioning (HVAC) noise - operates 24/7

- March 2020 Initial complaints are made regarding the HVAC noise.
- May 2020 Testing by UHCC shows that the HVAC noise is in breach of the District Plan.
- May 2022 UHCC deems that Farrah's have achieved compliance for the HVAC noise. 2 years and 2 months to resolve.

Ceiling fan noise – operates 24/5 (previously 24/6)

- March 2020 Initial complaints are made regarding the ceiling fan noise.
- February 2021 Noise testing confirms that the ceiling fans are the source of tonal night-time noise. Testing prior to his had been purely focussed on the HVAC, despite the July 2020 Abatement Notice requiring broad testing.
- November 2021 Testing confirms that the ceiling fans remain in breach of the District Plan.
- **December 2021** Farrah's makes changes to the programming of the ceiling fans to prevent them running at maximum speed between 7pm and 7am. UHCC determines that this now makes these fans **compliant**. **1 year and 9 months to resolve**.

<u>Silo filling noise</u> – operates intermittently up to 1.5 hours per delivery, up to 8 times per week

- Dec 2019 Initial complaints are made regarding the silo construction.
- May 2020 Initial complaints (that we are aware of) relating to noise from the silo filling.
- July 2020 Noise monitoring confirms that the silo filling noise is in breach of the District Plan.
- February 2022 The first mitigation of the silo filling noise is attempted. This is reported to be successful in achieving compliance with the District Plan.
- March 2022 UHCC deems that Farrah's have achieved compliance for the silo filling noise. 1 year and 10 months to resolve.